

**Section 1: Identification of the substance/mixture and of the company/undertaking****1.1. Product identifier**

Trade name or designation of the mixture	Tridol ATF 3/3
Registration number	-
Synonyms	None.
SDS number	-
Product code	150-05
Issue date	24-July-2012
Version number	02
Revision date	03-December-2014
Supersedes date	24-July-2012

**1.2. Relevant identified uses of the substance or mixture and uses advised against**

Identified uses	Firefighting foam concentrate.
Uses advised against	None known.

**1.3. Details of the supplier of the safety data sheet****Supplier**

Company name	Angus Fire Ltd
Address	Station Road Bentham, Lancashire, LA2 7NA
Telephone	0044 (0)15 2426 4000
e-mail	general.enquiries@angusuk.co.uk
Contact person	EH&S Manager

**1.4. Emergency telephone number** 0044 (0)15 2426 4000 (Standard office hours: Monday to Friday 8:30am - 4:30pm GMT)

**Section 2: Hazards identification****2.1. Classification of the substance or mixture**

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

**Classification according to Directive 67/548/EEC or 1999/45/EC as amended**

**Classification** Xi;R36/38

The full text for all R-phrases is displayed in section 16.

**Classification according to Regulation (EC) No 1272/2008 as amended**

<b>Health hazards</b>		
Skin corrosion/irritation	Category 2	H315 - Causes skin irritation.
Serious eye damage/eye irritation	Category 2	H319 - Causes serious eye irritation.

**Hazard summary**

<b>Physical hazards</b>	Not classified for physical hazards.
<b>Health hazards</b>	Irritating to eyes and skin. Occupational exposure to the substance or mixture may cause adverse health effects.
<b>Environmental hazards</b>	Not classified for hazards to the environment.
<b>Specific hazards</b>	May cause respiratory tract irritation. May cause central nervous system effects.
<b>Main symptoms</b>	Symptoms can include irritation, redness, scratching of the cornea, and tearing. Symptoms may include redness, oedema, drying, defatting and cracking of the skin. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting.

**2.2. Label elements****Label according to Regulation (EC) No. 1272/2008 as amended**

**Contains:** 2-methylpentane-2,4-diol

## Hazard pictograms



### Signal word

Warning

### Hazard statements

H315 - Causes skin irritation.  
H319 - Causes serious eye irritation.

## Precautionary statements

### Prevention

P280 - Wear protective gloves and eye/face protection.

### Response

P302 + P352 - IF ON SKIN: Wash with plenty of soap and water.  
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P337 + P313 - If eye irritation persists: Get medical advice/attention.

### Storage

P404 - Store in a closed container.

### Disposal

P501 - Dispose of contents/container in accordance with local/regional/national/international regulations.

## Supplemental label information

Not applicable.

### 2.3. Other hazards

Not a PBT or vPvB substance or mixture.

## Section 3: Composition/information on ingredients

### 3.2. Mixtures

#### General information

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	INDEX No.	Notes
2-methylpentane-2,4-diol	10 - < 20	107-41-5 203-489-0	-	603-053-00-3	
<b>Classification:</b>	<b>DSD:</b> Xi;R36/38				
	<b>CLP:</b> Skin Irrit. 2;H315, Eye Irrit. 2;H319				
Cocamidopropyl Betaine	< 1	61789-40-0 263-058-8	-	-	
<b>Classification:</b>	<b>DSD:</b> Xi;R36/38				
	<b>CLP:</b> Skin Irrit. 2;H315, Eye Irrit. 2;H319				

DSD: Directive 67/548/EEC.

CLP: Regulation No. 1272/2008.

#### Composition comments

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.  
The full text for all R- and H-phrases is displayed in section 16.

## Section 4: First aid measures

#### General information

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

#### 4.1. Description of first aid measures

##### Inhalation

Move injured person into fresh air and keep person calm under observation. Get medical attention, if needed.

##### Skin contact

Wash the skin immediately with soap and water. Get medical attention if irritation develops and persists.

##### Eye contact

Immediately flush with plenty of water for up to 15 minutes. Remove any contact lenses and open eyelids wide apart. Get medical attention if irritation develops and persists.

##### Ingestion

Immediately rinse mouth and drink plenty of water. Keep person under observation. If person becomes uncomfortable take to hospital along with these instructions. Only induce vomiting at the instruction of medical personnel.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms can include irritation, redness, scratching of the cornea, and tearing. Symptoms may include redness, oedema, drying, defatting and cracking of the skin. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically.

## Section 5: Firefighting measures

<b>General fire hazards</b>	Product is an extinguishing medium. It does not burn or support combustion.
<b>5.1. Extinguishing media</b>	
<b>Suitable extinguishing media</b>	No specific measures are required as this product is a fire extinguishing medium.
<b>Unsuitable extinguishing media</b>	Not applicable.
<b>5.2. Special hazards arising from the substance or mixture</b>	Not a fire hazard.
<b>5.3. Advice for firefighters</b>	
<b>Special protective equipment for firefighters</b>	Self-contained breathing apparatus, operated in positive pressure mode and full protective clothing must be worn in case of fire.
<b>Special fire fighting procedures</b>	No specific precautions.

## Section 6: Accidental release measures

<b>6.1. Personal precautions, protective equipment and emergency procedures</b>	
<b>For non-emergency personnel</b>	Avoid contact with skin and eyes. Avoid inhalation of mists or aerosols. Provide adequate ventilation. Wear protective clothing as described in section 8 of this safety data sheet.
<b>For emergency responders</b>	Use personal protection recommended in Section 8 of the SDS.
<b>6.2. Environmental precautions</b>	For large (industrial) releases, prevent spill from entering a waterway.
<b>6.3. Methods and material for containment and cleaning up</b>	Absorb spillage with suitable absorbent material. Collect and dispose of spillage as indicated in Section 13.
<b>6.4. Reference to other sections</b>	For personal protection, see section 8. For waste disposal, see section 13.

## Section 7: Handling and storage

<b>7.1. Precautions for safe handling</b>	Avoid contact with skin and eyes. Wear appropriate personal protective equipment. Wash hands after handling. Observe good industrial hygiene practices.
<b>7.2. Conditions for safe storage, including any incompatibilities</b>	Store in original tightly closed container. Store at temperature below 40°C. Store above freezing. Read and follow manufacturer's recommendations. Store away from incompatible materials.
<b>7.3. Specific end use(s)</b>	Firefighting foam concentrate.

## Section 8: Exposure controls/personal protection

### 8.1. Control parameters

#### Occupational exposure limits

##### Austria. MAK List Components

Components	Type	Value
2-methylpentane-2,4-diol (CAS 107-41-5)	Ceiling	49 mg/m3
	MAK	10 ppm 49 mg/m3 10 ppm

##### Belgium. Exposure Limit Values. Components

Components	Type	Value
2-methylpentane-2,4-diol (CAS 107-41-5)	TWA	123 mg/m3 25 ppm

##### France. Threshold Limit Values (VLEP) for Occupational Exposure to Chemicals in France, INRS ED 984 Components

Components	Type	Value
2-methylpentane-2,4-diol (CAS 107-41-5)	VLE	125 mg/m3 25 ppm

##### Germany. DFG MAK List (advisory OELs). Commission for the Investigation of Health Hazards of Chemical Compounds in the Work Area (DFG) Components

Components	Type	Value
2-methylpentane-2,4-diol (CAS 107-41-5)	TWA	49 mg/m3 10 ppm

**Greece. OELs (Decree No. 90/1999, as amended)**

Components	Type	Value
2-methylpentane-2,4-diol (CAS 107-41-5)	STEL	125 mg/m <sup>3</sup>
	TWA	25 ppm 125 mg/m <sup>3</sup> 25 ppm

**Italy. OELs**

Components	Type	Value
2-methylpentane-2,4-diol (CAS 107-41-5)	Ceiling	25 ppm

**Norway. Administrative Norms for Contaminants in the Workplace**

Components	Type	Value
2-methylpentane-2,4-diol (CAS 107-41-5)	Ceiling	100 mg/m <sup>3</sup>
		20 ppm

**Poland. MACs. Minister of Labour and Social Policy Regarding Maximum Allowable Concentrations and Intensities in Working Environment**

Components	Type	Value
2-methylpentane-2,4-diol (CAS 107-41-5)	Ceiling	120 mg/m <sup>3</sup>

**Spain. Occupational Exposure Limits**

Components	Type	Value
2-methylpentane-2,4-diol (CAS 107-41-5)	STEL	123 mg/m <sup>3</sup>
		25 ppm

**Sweden. Occupational Exposure Limit Values**

Components	Type	Value
2-methylpentane-2,4-diol (CAS 107-41-5)	Ceiling	120 mg/m <sup>3</sup>
		25 ppm

**Switzerland. SUVA Grenzwerte am Arbeitsplatz**

Components	Type	Value
2-methylpentane-2,4-diol (CAS 107-41-5)	STEL	98 mg/m <sup>3</sup>
	TWA	20 ppm 49 mg/m <sup>3</sup> 10 ppm

**UK. EH40 Workplace Exposure Limits (WELs)**

Components	Type	Value
2-methylpentane-2,4-diol (CAS 107-41-5)	STEL	123 mg/m <sup>3</sup>
	TWA	25 ppm 123 mg/m <sup>3</sup> 25 ppm

**Biological limit values** No biological exposure limits noted for the ingredient(s).

**Recommended monitoring procedures** Follow standard monitoring procedures.

**Derived No Effect Level (DNEL)**

Components	Type	Route	Value	Form
2-methylpentane-2,4-diol (CAS 107-41-5)	Workers	Dermal	2 mg/kg/day	Long term exposure systemic effects
		Inhalation	98 mg/m <sup>3</sup>	Acute exposure local effects
		Inhalation	49 mg/m <sup>3</sup>	Long term exposure local effects
		Inhalation	14 mg/m <sup>3</sup>	Long term exposure systemic effects

**Predicted no effect concentrations (PNECs)**

Components	Type	Route	Value	Form
2-methylpentane-2,4-diol (CAS 107-41-5)	Aqua (freshwater)	Not applicable	0,429 mg/l	
	Aqua (intermittent releases)	Not applicable	4,29 mg/l	

Components	Type	Route	Value	Form
	Aqua (marine water)	Not applicable	0,0429 mg/l	
	Sediment (freshwater)	Not applicable	1,79 mg/kg	
	Sediment (marine water)	Not applicable	0,179 mg/kg	
	Soil	Not applicable	0,11 mg/kg	
	STP	Not applicable	20 mg/l	

## 8.2. Exposure controls

**Appropriate engineering controls** Ensure adequate ventilation, especially in confined areas. Observe occupational exposure limits and minimise the risk of exposure.

### Individual protection measures, such as personal protective equipment

<b>General information</b>	Personal protective equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment.
<b>Eye/face protection</b>	Wear approved safety goggles.
<b>Skin protection</b>	
<b>- Hand protection</b>	Wear suitable gloves. Butyl rubber gloves are recommended. Suitable gloves can be recommended by the glove supplier.
<b>- Other</b>	Wear suitable protective clothing.
<b>Respiratory protection</b>	In case of inadequate ventilation: Use respiratory equipment with combination filter, type A2/P2.
<b>Thermal hazards</b>	Wear appropriate thermal protective clothing, when necessary.

**Hygiene measures** Handle in accordance with good industrial hygiene and safety practices. Routinely wash work clothing and protective equipment to remove contaminants.

**Environmental exposure controls** Contain spills and prevent releases and observe national regulations on emissions. Environmental manager must be informed of all major spillages.

## Section 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

#### Appearance

<b>Physical state</b>	Liquid.
<b>Form</b>	Liquid.
<b>Colour</b>	Pale yellow.

**Odour** Organic.

**Odour threshold** Not available.

**pH** 6,5 - 8

**Melting point/freezing point** 0 °C (32 °F)

**Initial boiling point and boiling range** 100 °C (212 °F) (760 mmHg)

**Flash point** > 98 °C (> 208,4 °F)

**Evaporation rate** Not applicable.

**Flammability (solid, gas)** Not applicable.

#### Upper/lower flammability or explosive limits

**Flammability limit - lower (%)** Not applicable

**Flammability limit - upper (%)** Not applicable

**Vapour pressure** Not applicable.

**Vapour density** Not applicable.

**Relative density** 1,02

**Solubility(ies)** Miscible in all proportions.

**Partition coefficient (n-octanol/water)** No data available.

**Decomposition temperature** Not available.

**Viscosity** Not applicable.

**Explosive properties** Not available.

**Oxidizing properties** Not available.

**9.2. Other information** No relevant additional information available.

## Section 10: Stability and reactivity

<b>10.1. Reactivity</b>	The product is stable and non reactive under normal conditions of use, storage and transport.
<b>10.2. Chemical stability</b>	Stable at normal conditions.
<b>10.3. Possibility of hazardous reactions</b>	Hazardous polymerisation does not occur.
<b>10.4. Conditions to avoid</b>	Contact with incompatible materials. Excessive heat. Freezing (Product properties are unaffected).
<b>10.5. Incompatible materials</b>	Alkali metals. Strong oxidising agents. Water reactive materials.
<b>10.6. Hazardous decomposition products</b>	Carbon oxides. Sulphur oxides. Nitrogen oxides (NOx). Sodium oxides. Hydrogen fluoride.

## Section 11: Toxicological information

**General information** The information in this section is for the individual ingredients that are expected to contribute to the potential health effects of this product.

### Information on likely routes of exposure

<b>Ingestion</b>	May cause discomfort if swallowed.
<b>Inhalation</b>	Under normal conditions of intended use, this material is not expected to be an inhalation hazard.
<b>Skin contact</b>	Causes skin irritation.
<b>Eye contact</b>	Causes serious eye irritation.

**Symptoms** Symptoms can include irritation, redness, scratching of the cornea, and tearing. Symptoms may include redness, drying and cracking of the skin.

### 11.1. Information on toxicological effects

**Acute toxicity** Causes skin and eye irritation. May cause central nervous system effects.

<b>Components</b>	<b>Species</b>	<b>Test results</b>
2-methylpentane-2,4-diol (CAS 107-41-5)		
<b>Acute</b>		
<i>Oral</i>		
LD50	Rat	4,79 g/kg
<b>Skin corrosion/irritation</b>	Prolonged contact may cause dryness of the skin.	
<b>Serious eye damage/irritation</b>	Causes serious eye irritation.	
<b>Respiratory sensitisation</b>	No data available.	
<b>Skin sensitisation</b>	Not a skin sensitiser.	
<b>Germ cell mutagenicity</b>	No data available.	
<b>Carcinogenicity</b>	No data available.	
<b>Reproductive toxicity</b>	No data available.	
<b>Specific target organ toxicity - single exposure</b>	No data available.	
<b>Specific target organ toxicity - repeated exposure</b>	No data available.	
<b>Aspiration hazard</b>	No data available.	
<b>Mixture versus substance information</b>	None known.	
<b>Other information</b>	Persons with pre-existing skin disorders may be more susceptible to the effects of the product.	

## Section 12: Ecological information

**12.1. Toxicity** The product components are not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

<b>Product</b>	<b>Species</b>		<b>Test results</b>
Tridol ATF 3/3 (CAS Mixture)			
<b>Aquatic</b>			
Fish	LC50	Oncorhynchus mykiss	500 mg/l, 96 hours
<b>Components</b>	<b>Species</b>		<b>Test results</b>
2-methylpentane-2,4-diol (CAS 107-41-5)			
<b>Aquatic</b>			
Crustacea	EC50	Water flea (Ceriodaphnia reticulata)	2400 - 3200 mg/l, 48 hours

Components	Species	Test results
Fish	LC50	Bleak ( <i>Alburnus alburnus</i> ) 7000 - 9100 mg/l, 96 hours
<b>12.2. Persistence and degradability</b>	The product is biodegradable. COD: 0.34 gg-1 BOD: 0.06 gg-1/7 days. BOD: 0.21 gg-1/14 days. BOD: 0.24 gg-1/21 days. BOD: 0.27 gg-1/28 days.	
<b>12.3. Bioaccumulative potential</b>	The product is not expected to bioaccumulate.	
<b>Partition coefficient n-octanol/water (log Kow)</b>	No data available.	
<b>Bioconcentration factor (BCF)</b>	Not available.	
<b>12.4. Mobility in soil</b>	No data available.	
<b>Mobility in general</b>	The product is water soluble and may spread in water systems.	
<b>12.5. Results of PBT and vPvB assessment</b>	Not a PBT or vPvB substance or mixture.	
<b>12.6. Other adverse effects</b>	An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.	

## Section 13: Disposal considerations

### 13.1. Waste treatment methods

<b>Residual waste</b>	Dispose of waste and residues in accordance with local authority requirements.
<b>Contaminated packaging</b>	Dispose of in accordance with local regulations. Empty containers should be taken to an approved waste handling site for recycling or disposal.
<b>EU waste code</b>	16 03 05* Waste codes should be assigned by the user based on the application for which the product was used.
<b>Disposal methods/information</b>	Dispose of waste and residues in accordance with local authority requirements.

## Section 14: Transport information

### ADR

The product is not covered by international regulation on the transport of dangerous goods.

### RID

The product is not covered by international regulation on the transport of dangerous goods.

### ADN

The product is not covered by international regulation on the transport of dangerous goods.

### IATA

The product is not covered by international regulation on the transport of dangerous goods.

### IMDG

The product is not covered by international regulation on the transport of dangerous goods.

## Section 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU regulations

##### Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I

Not listed.

##### Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex II

Not listed.

##### Regulation (EC) No. 850/2004 on persistent organic pollutants, Annex I as amended

Not listed.

##### Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 1 as amended

Not listed.

##### Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 2 as amended

Not listed.

##### Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 3 as amended

Not listed.

##### Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex V as amended

Not listed.

##### Commission Decision 2000/479/EC on the implementation of a European pollutant emission register (EPER)

Not listed.

##### Regulation (EC) No. 1907/2006, REACH Article 59(1) Candidate List as currently published by ECHA

Not listed.

#### Other regulations

The product is classified and labelled in accordance with EC directives or respective national laws. This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006.

**National regulations** Follow national regulation for work with chemical agents.

**15.2. Chemical safety assessment** No Chemical Safety Assessment has been carried out.

## **Section 16: Other information**

**List of abbreviations** DNEL: Derived No-Effect Level. PNEC: Predicted No-Effect Concentration. PBT: Persistent, bioaccumulative and toxic. vPvB: Very Persistent and very Bioaccumulative.

**References** ESIS (European chemical Substances Information System)  
HSDB® - Hazardous Substances Data Bank  
Registry of Toxic Effects of Chemical Substances (RTECS)

**Information on evaluation method leading to the classification of mixture** The mixture is classified based on test data for physical hazards. The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available. For details, refer to Sections 9, 11 and 12.

**Full text of any statements or R-phrases and H-statements under Sections 2 to 15** R36/38 Irritating to eyes and skin.

H315 - Causes skin irritation.  
H319 - Causes serious eye irritation.

**Training information** Follow training instructions when handling this material.

**Disclaimer** This information is based on our current knowledge and is believed to be correct as of the date issued. The information is intended to describe the product for the purposes of health, safety and environmental requirements only and no warranty, express or implied, is made. It should also not be construed as guaranteeing any specific property of the product. In addition, information obtained from a database is subject to change and may not be as current as the information in the MSDS available directly from Angus Fire.