

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Issue date: 05/11/2014 Revision date: 17/03/2023 Supersedes version of: 16/04/2021

Version: 3.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Product name : Petroseal ^{C6} 3

UFI : US62-90H4-S006-8C9E

Product code : FNC 08 01

Type of product : Firefighting foam concentrate (FFFP)

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Industrial/Professional use spec : Industrial

For professional use only

Use of the substance/mixture : Firefighting foam concentrate

Uses advised against
 No additional information available

1.3. Details of the supplier of the safety data sheet

ANGUS FIRE Ltd Station Road LA2 7NA Bentham - United Kingdom

T +44(0) 1524 264000 - F +44(0)1524 264180

general.enquiries@angus.co.uk - www.angusfire.co.uk

1.4. Emergency telephone number

Emergency number : +44(0) 1524 264000 (Standard office hours: Monday to Friday 8:30am - 4:30pm GMT)

Contact person: EH&S Manager

Country	Organisation/Company	Address	Emergency number	Comment
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH Birmingham	0344 892 0111	Only for healthcare professionals

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin sensitisation, Category 1 H317

Hazardous to the aquatic environment – Chronic Hazard, Category 3 H412

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS07

Signal word (CLP) : Warning

Hazardous ingredients : 2,2',2"-(hexahydro-1,3,5-triazine-1,3,5-triyl)triethanol

Hazard statements (CLP) : H317 - May cause an allergic skin reaction.

H412 - Harmful to aquatic life with long lasting effects.

Precautionary statements (CLP) : P272 - Contaminated work clothing should not be allowed out of the workplace.

P280 - Wear eye protection, protective clothing, protective gloves

P302+P352 - IF ON SKIN: Wash with plenty of water

P333+P313 - If skin irritation or rash occurs: Get medical advice/attention. P362+P364 - Take off contaminated clothing and wash it before reuse. P501 - Dispose in a safe manner in accordance with local/national regulations

17/03/2023 EN (English) 1/13

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

2.3. Other hazards

Other hazards which do not result in classification

: This product contains fluoroalkyl surfactants (which are and include per- or poly- fluoroalkyl substances, "PFAS") and is required to be disposed of by high temperature incineration. See Section 13 for additional information.

PBT: not relevant – no registration required vPvB: not relevant – no registration required

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
2-(2-butoxyethoxy)ethanol substance with national workplace exposure limit(s) (BE, FR, GB, NL); substance with a Community workplace exposure limit	(CAS-No.) 112-34-5 (EC-No.) 203-961-6 (EC Index-No.) 603-096-00-8 (REACH-no) 01-2119475104-44	4 – 10	Eye Irrit. 2, H319
2,2',2"-(hexahydro-1,3,5-triazine-1,3,5-triyl)triethanol	(CAS-No.) 4719-04-4 (EC-No.) 225-208-0 (EC Index-No.) 613-114-00-6 (REACH-no) 01-2119529226-41	0.1 – 1	Acute Tox. 4 (Oral), H302 Acute Tox. 2 (Inhalation:dust,mist), H330 Eye Irrit. 2, H319 Skin Sens. 1, H317 STOT RE 1, H372
Zinc chloride substance with national workplace exposure limit(s) (BE, FR, GB)	(CAS-No.) 7646-85-7 (EC-No.) 231-592-0 (EC Index-No.) 030-003-00-2 (REACH-no) 01-2119472431-44	0.1 – 1	Acute Tox. 4 (Oral), H302 Skin Corr. 1B, H314 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Ethane-1,2-diol substance with national workplace exposure limit(s) (BE, FR, GB, NL); substance with a Community workplace exposure limit	(CAS-No.) 107-21-1 (EC-No.) 203-473-3 (EC Index-No.) 603-027-00-1 (REACH-no) 01-2119456816-28	0.1 – 1	Acute Tox. 4 (Oral), H302 STOT RE 2, H373
Iron(II) sulphate, heptahydrate substance with national workplace exposure limit(s) (BE, GB)	(CAS-No.) 7782-63-0 (EC-No.) 231-753-5 (EC Index-No.) 026-003-01-4 (REACH-no) 01-2119513203-57	0.1 – 1	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Irrit. 2, H319
2-methyl-2,4-pentanediol substance with national workplace exposure limit(s) (BE, FR, GB)	(CAS-No.) 107-41-5 (EC-No.) 203-489-0 (EC Index-No.) 603-053-00-3 (REACH-no) 01-2119539582-35	0.1 – 1	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Repr. 2, H361d
2-methyl-2-propanol substance with national workplace exposure limit(s) (BE, FR, GB)	(CAS-No.) 75-65-0 (EC-No.) 200-889-7 (EC Index-No.) 603-005-00-1 (REACH-no) 01-2119444321-51	<1	Flam. Liq. 2, H225 Acute Tox. 4 (Inhalation:dust,mist), H332 Eye Irrit. 2, H319 STOT SE 3, H335
Ethanol substance with national workplace exposure limit(s) (BE, FR, GB, NL)	(CAS-No.) 64-17-5 (EC-No.) 200-578-6 (EC Index-No.) 603-002-00-5	< 0.05	Flam. Liq. 2, H225 Eye Irrit. 2, H319

Specific concentration limits:

Name	Product identifier	Specific concentration limits	
2,2',2"-(hexahydro-1,3,5-triazine-1,3,5-triyl)triethanol	(CAS-No.) 4719-04-4 (EC-No.) 225-208-0 (EC Index-No.) 613-114-00-6 (REACH-no) 01-2119529226-41	(0.1 ≤C ≤ 100) Skin Sens. 1, H317	
Zinc chloride	(CAS-No.) 7646-85-7 (EC-No.) 231-592-0 (EC Index-No.) 030-003-00-2 (REACH-no) 01-2119472431-44	(5 ≤C ≤ 100) STOT SE 3, H335	
Iron(II) sulphate, heptahydrate	(CAS-No.) 7782-63-0 (EC-No.) 231-753-5 (EC Index-No.) 026-003-01-4 (REACH-no) 01-2119513203-57	(25 ≤C < 100) Skin Irrit. 2, H315	

Comments

: This product contains fluoroalkyl surfactants which are and include PFAS (per- or polyfluoroalkyl substances), see Sections 13 & 15 for additional information.

Full text of H- and EUH-statements: see section 16

17/03/2023 EN (English) 2/13

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

OFOTION		2 * * * * * * * * * * * * * * * * * * *
	1 /1 · Lire	t aid measures
	4 4 . I II 3	i alu ilicasules

Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical

advice (show the label where possible).

Allow affected person to breathe fresh air. Allow the victim to rest. First-aid measures after inhalation

Remove affected clothing and wash all exposed skin area with mild soap and water, followed First-aid measures after skin contact

by warm water rinse. Wash with plenty of water. If skin irritation or rash occurs: Get medical

advice/attention. Wash contaminated clothing before reuse.

Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness First-aid measures after eye contact

: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention. First-aid measures after ingestion

Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation : May cause an allergic skin reaction.

Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

Extinguishing media

Suitable extinguishing media : No specific measures are necessary. This product is a fire extinguishing medium.

Unsuitable extinguishing media : Not applicable.

Special hazards arising from the substance or mixture 5.2.

Fire hazard : No fire hazard.

Advice for firefighters 5.3.

Firefighting instructions : Not applicable. Protection during firefighting : Not applicable.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures 6.1.

For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Do not attempt to take action without suitable protective equipment. For further information Protective equipment

refer to section 8: "Exposure controls/personal protection".

Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters.

Methods and material for containment and cleaning up

Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect Methods for cleaning up

spillage. Store away from other materials.

Reference to other sections

8. Exposure controls/personal protection. 13. Disposal considerations.

SECTION 7: Handling and storage

Precautions for safe handling

Avoid contact with skin and eyes. Wear recommended personal protective equipment. Read Precautions for safe handling and follow manufacturer's recommendations. Handle in accordance with good industrial

hygiene and safety procedures. Read and follow the Safety Data Sheet (SDS) before use.

Avoid breathing vapours.

Wash hands and other exposed areas with mild soap and water before eating, drinking or Hygiene measures smoking and when leaving work. Contaminated work clothing should not be allowed out of the

workplace. Wash contaminated clothing before reuse.

Conditions for safe storage, including any incompatibilities

Storage conditions Store in original container. Keep container tightly closed. Store at temperatures not exceeding

60°C (140°F) (intermittent). Protect from sunlight. Protect from freezing. Keep/Store away from incompatible materials.

Specific end use(s)

Firefighting foam concentrate.

17/03/2023 EN (English) 3/13

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Iron(II) sulphate, heptal	hydrate (7782-63-0)	
Belgium	OEL TWA	1 mg/m³
United Kingdom	WEL TWA (OEL TWA) [1]	1 mg/m³
United Kingdom	WEL STEL (OEL STEL)	2 mg/m³
USA - ACGIH	ACGIH OEL TWA	1 mg/m³
2-methyl-2,4-pentanedi		, J
Belgium	OEL TWA	123 mg/m³
Belgium	OEL TWA [ppm]	25 ppm
France	VLE (OEL C/STEL)	125 mg/m³
France	VLE (OEL C/STEL) [ppm]	25 ppm
United Kingdom	WEL TWA (OEL TWA) [1]	123 mg/m³
United Kingdom	WEL TWA (OEL TWA) [2]	25 ppm
United Kingdom	WEL STEL (OEL STEL)	123 mg/m³
United Kingdom	WEL STEL (OEL STEL) [ppm]	25 ppm
USA - ACGIH	ACGIH OEL TWA [ppm]	25 ppm (Vapor fraction)
USA - ACGIH	ACGIH OEL STEL	10 mg/m³ (Inhalable fraction, Aerosol only)
USA - ACGIH	ACGIH OEL STEL [ppm]	50 ppm (Vapor fraction)
Ethane-1,2-diol (107-21		
EU	IOEL TWA	52 mg/m³
EU	IOEL TWA [ppm]	20 ppm
EU	IOEL STEL	104 mg/m³
EU	IOEL STEL [ppm]	40 ppm
Belgium	OEL TWA	52 mg/m³
Belgium	OEL TWA [ppm]	20 ppm
Belgium	OEL STEL	104 mg/m³
Belgium	OEL STEL [ppm]	40 ppm
France	VME (OEL TWA)	52 mg/m³
France	VME (OEL TWA) [ppm]	20 ppm
France	VLE (OEL C/STEL)	104 mg/m³
France	VLE (OEL C/STEL) [ppm]	40 ppm
Netherlands	TGG-8u (OEL TWA)	52 mg/m³ (damp) 10 mg/m³ (druppels)
Netherlands	TGG-8u (OEL TWA) [ppm]	20 ppm (damp) 3.9 ppm (druppels)
Netherlands	TGG-15min (OEL STEL)	104 mg/m³ (damp)
Netherlands	TGG-15min (OEL STEL) [ppm]	40 ppm (damp)
United Kingdom	WEL TWA (OEL TWA) [1]	10 mg/m³ 52 mg/m³
United Kingdom	WEL TWA (OEL TWA) [2]	20 ppm
United Kingdom	WEL STEL (OEL STEL)	104 mg/m³
United Kingdom	WEL STEL (OEL STEL) [ppm]	40 ppm
USA - ACGIH	ACGIH OEL TWA [ppm]	25 ppm (Vapor fraction)
USA - ACGIH	ACGIH OEL STEL	10 mg/m³ (Inhalable fraction, Aerosol only)
USA - ACGIH	ACGIH OEL STEL [ppm]	50 ppm (Vapor fraction)
2-(2-butoxyethoxy)etha	nol (112-34-5)	
EU	IOEL TWA	67.5 mg/m³
EU	IOEL TWA [ppm]	10 ppm
EU	IOEL STEL	101.2 mg/m³
EU	IOEL STEL [ppm]	15 ppm
Belgium	OEL TWA	67.5 mg/m³
Belgium	OEL TWA [ppm]	10 ppm
Belgium	OEL STEL	101.2 mg/m³
Belgium	OEL STEL [ppm]	15 ppm
France	VME (OEL TWA)	67.5 mg/m³
France	VME (OEL TWA) [ppm]	10 ppm
France	VLE (OEL C/STEL)	101.2 mg/m³

17/03/2023 EN (English) 4/13

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

2-(2-butoxyethoxy)etha	anol (112-34-5)	
France	VLE (OEL C/STEL) [ppm]	15 ppm
Netherlands	TGG-8u (OEL TWA)	50 mg/m³
Netherlands	TGG-8u (OEL TWA) [ppm]	7.4 ppm
Netherlands	TGG-15min (OEL STEL)	100 mg/m³
Netherlands	TGG-15min (OEL STEL) [ppm]	15 ppm
United Kingdom	WEL TWA (OEL TWA) [1]	67.5 mg/m³
United Kingdom	WEL TWA (OEL TWA) [2]	10 ppm
United Kingdom	WEL STEL (OEL STEL)	101.2 mg/m³
United Kingdom	WEL STEL (OEL STEL) [ppm]	15 ppm
USA - ACGIH	ACGIH OEL TWA [ppm]	10 ppm (Inhalable fraction and vapor)
2-methyl-2-propanol (7	75-65-0)	
Belgium	OEL TWA	307 mg/m³
Belgium	OEL TWA [ppm]	100 ppm
France	VME (OEL TWA)	300 mg/m³
France	VME (OEL TWA) [ppm]	100 ppm
United Kingdom	WEL TWA (OEL TWA) [1]	308 mg/m³
United Kingdom	WEL TWA (OEL TWA) [2]	100 ppm
United Kingdom	WEL STEL (OEL STEL)	462 mg/m³
United Kingdom	WEL STEL (OEL STEL) [ppm]	150 ppm
USA - ACGIH	ACGIH OEL TWA [ppm]	100 ppm
Ethanol (64-17-5)		
Belgium	OEL TWA	1907 mg/m³
Belgium	OEL TWA [ppm]	1000 ppm
France	VME (OEL TWA)	1900 mg/m³
France	VME (OEL TWA) [ppm]	1000 ppm
France	VLE (OEL C/STEL)	9500 mg/m³
France	VLE (OEL C/STEL) [ppm]	5000 ppm
Netherlands	TGG-8u (OEL TWA)	260 mg/m³
Netherlands	TGG-8u (OEL TWA) [ppm]	136 ppm
Netherlands	TGG-15min (OEL STEL)	1900 mg/m³
Netherlands	TGG-15min (OEL STEL) [ppm]	992 ppm
United Kingdom	WEL TWA (OEL TWA) [1]	1920 mg/m³
United Kingdom	WEL TWA (OEL TWA) [2]	1000 ppm
USA - ACGIH	ACGIH OEL STEL [ppm]	1000 ppm
Zinc chloride (7646-85	-7)	·
Belgium	OEL TWA	1 mg/m³
Belgium	OEL STEL	2 mg/m³
France	VME (OEL TWA)	1 mg/m³
United Kingdom	WEL TWA (OEL TWA) [1]	1 mg/m³
United Kingdom	WEL STEL (OEL STEL)	2 mg/m³
USA - ACGIH	ACGIH OEL TWA	1 mg/m³
USA - ACGIH	ACGIH OEL STEL	2 mg/m³

8.2. Exposure controls

Appropriate engineering controls:

Ensure adequate ventilation. Follow the exposure limits given on this material safety data sheet.

Personal protective equipment:

Wear recommended personal protective equipment.

Hand protection:

Wear protective gloves (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN 374): nitrile rubber (NBR) - 0.2 mm coating thickness

Eye protection:

Sealed safety goggles

Skin and body protection:

17/03/2023 EN (English) 5/13

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Wear suitable protective clothing

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment (recommended filter type A2/P2)



Thermal hazard protection:

Wear thermal protective clothing, when necessary.

Environmental exposure controls:

Contain spills. Prevent releases. Observe national regulations on emissions. Ensure all national/local regulations are observed.

Other information:

Do not eat, drink or smoke when using this product.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: LiquidColour: Brown.Odour: Characteristic.Odour threshold: No data available

pH : 6.6 – 7.6

Relative evaporation rate (butylacetate=1) : No data available Melting point : No data available

Freezing point : -13 °C

Boiling point : No data available

Flash point : $> 100 \, ^{\circ}\text{C}$

: No data available Auto-ignition temperature Decomposition temperature : No data available : No data available Flammability : No data available Vapour pressure Relative vapour density at 20°C : No data available Relative density : No data available Density : 1.11 - 1.15 : No data available Solubility Partition coefficient n-octanol/water (Log Pow) : No data available Viscosity, kinematic $5 - 9 \text{ mm}^2/\text{s}$ Viscosity, dynamic : No data available Explosive properties : No data available : No data available Oxidising properties **Explosive limits** : No data available

9.2. Other information

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is stable and non reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Incompatible materials. Extremely high or low temperatures.

17/03/2023 EN (English) 6/13

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

10.5. Incompatible materials

Alkali metals. Oxidizing agent. Water reactive substances.

10.6. Hazardous decomposition products

Carbon oxides. Sulphur oxides. Hydrogen fluoride. Nitrogen oxides (NOx). Sodium oxides.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

Acute toxicity	: Not classified
Iron(II) sulphate, heptahydrate (7782	2-63-0)
LD50 oral rat	> 2000 mg/kg bodyweight (OECD 401: Acute Oral Toxicity, Rat, Male / female, Read-across, Oral, 14 day(s))
LD50 dermal rat	> 2000 mg/kg bodyweight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Read across, Anhydrous form, Dermal, 14 day(s))
LC50 Inhalation - Rat	> 1.1 mg/l (EPA OPP 81-3: Acute Inhalation Toxicity, 4 h, Rat, Male / female, Read-across, Anhydrous form, Inhalation)
2,2',2"-(hexahydro-1,3,5-triazine-1,3	,5-triyl)triethanol (4719-04-4)
LD50 oral rat	763 mg/kg (OECD 401: Acute Oral Toxicity, Rat, Male / female, Experimental value, Oral)
LD50 dermal rat	> 2000 mg/kg bodyweight (OECD 402: Acute Dermal Toxicity, Rat, Male / female, Experimental value, Dermal)
LC50 Inhalation - Rat	0.371 mg/l (OECD 403: Acute Inhalation Toxicity, 4 h, Rat, Male / female, Experimental value Inhalation (aerosol))
2-methyl-2,4-pentanediol (107-41-5)	
LD50 oral rat	> 2000 mg/kg bodyweight (OECD 420: Acute Oral toxicity – Acute Toxic Class Method, Rat, Male / female, Experimental value, Oral, 15 day(s))
LD50 dermal rat	> 2000 mg/kg bodyweight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Dermal, 15 day(s))
LC50 Inhalation - Rat	> 55 mg/l (Equivalent or similar to OECD 403, 8 h, Rat, Male, Experimental value, Inhalation (vapours), 14 day(s))
Ethane-1,2-diol (107-21-1)	
LD50 oral rat	7712 mg/kg bodyweight (according to BASF-internal standards, Rat, Male / female, Experimental value, Aqueous solution, Oral, 7 day(s))
LD50 dermal	> 3500 mg/kg bodyweight (Mouse, Male / female, Experimental value, Dermal)
LC50 Inhalation - Rat	> 2.5 mg/l (6 h, Rat, Male / female, Experimental value, Inhalation (aerosol))
2-(2-butoxyethoxy)ethanol (112-34-	<u> </u>
LD50 oral	2410 – 5530 mg/kg bodyweight (Equivalent or similar to OECD 401, Mouse, Male, Experimental value, Oral, 14 day(s))
LD50 dermal rabbit	2764 mg/kg bodyweight (Equivalent or similar to OECD 402, Rabbit, Male, Experimental value, Dermal, 14 day(s))
2-methyl-2-propanol (75-65-0)	
LD50 oral rat	3046 mg/kg bodyweight (EPA OPPTS 870.1100: Acute Oral Toxicity, Rat, Male / female, Experimental value, Oral, 14 day(s))
LD50 dermal rabbit	> 2000 mg/kg bodyweight (EU Method B.3: Acute toxicity (dermal), 24 h, Rabbit, Male / female, Experimental value, Dermal, 14 day(s))
LC50 Inhalation - Rat	> 36 mg/l (EPA OPPTS 870.1300: Acute Inhalation Toxicity, 4 h, Rat, Male / female, Experimental value, Inhalation (vapours), 14 day(s))
Ethanol (64-17-5)	
LD50 oral rat	10470 mg/kg bodyweight (OECD 401: Acute Oral Toxicity, Rat, Male / female, Experimental value, Oral, 14 day(s))
LD50 dermal rabbit	> 15800 mg/kg bodyweight (Rabbit, Experimental value, Dermal)
LC50 Inhalation - Rat	124.7 mg/l air (Equivalent or similar to OECD 403, 4 h, Rat, Male / female, Experimental value, Inhalation (vapours), 14 day(s))
Zinc chloride (7646-85-7)	
LD50 oral rat	1100 mg/kg bodyweight (OECD 401: Acute Oral Toxicity, Rat, Male, Experimental value, Oral 14 day(s))
LD50 dermal rat	> 2000 mg/kg bodyweight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Read-across, Dermal, 15 day(s))
LC50 Inhalation - Rat	1.98 mg/l air (10 minutes, Rat, Female, Experimental value, Inhalation (aerosol), 7 day(s))
Skin corrosion/irritation	: Not classified pH: 6.6 – 7.6
	ρι ι. υ.υ — <i>τ</i> .υ

17/03/2023 EN (English) 7/13

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

5 ,	
Serious eye damage/irritation	: Not classified
	pH: 6.6 – 7.6
Respiratory or skin sensitisation	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified
Petroseal ^{C6} 3	

5 – 9 mm²/s

SECTION 12: Ecological information

12.1. Toxicity

Viscosity, kinematic

Iron(II) sulphate, heptahydrate (778	2-63-0)
LC50 - Fish [1]	925 mg/l (96 h, Poecilia reticulata, Static system, Literature study)
EC50 - Crustacea [1]	152 mg/l (48 h, Daphnia magna, Literature study, Anhydrous form)
2,2',2"-(hexahydro-1,3,5-triazine-1,3	3,5-triyl)triethanol (4719-04-4)
LC50 - Fish [1]	16.07 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Brachydanio rerio, Static system, Fresh water, Experimental value, GLP)
EC50 - Crustacea [1]	11.9 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, GLP)
ErC50 algae	6.66 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Desmodesmus subspicatus, Static system, Fresh water, Experimental value, GLP)
2-methyl-2,4-pentanediol (107-41-5	
LC50 - Fish [1]	9450 mg/l (Equivalent or similar to OECD 203, 96 h, Oncorhynchus mykiss, Flow-through system, Fresh water, Experimental value, Lethal)
EC50 - Crustacea [1]	5410 mg/l (Equivalent or similar to OECD 202, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, Locomotor effect)
EC50 72h - Algae [1]	> 429 mg/l (OECD 201: Alga, Growth Inhibition Test, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, Growth rate)
Ethane-1,2-diol (107-21-1)	
LC50 - Fish [1]	> 72860 mg/l (EPA 600/4-90/027, 96 h, Pimephales promelas, Static system, Fresh water, Experimental value, Nominal concentration)
EC50 - Crustacea [1]	> 100 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, Daphnia magna, Static system, Fresh water, Experimental value)
2-(2-butoxyethoxy)ethanol (112-34-	5)
LC50 - Fish [1]	1300 mg/l (Equivalent or similar to OECD 203, 96 h, Lepomis macrochirus, Static system, Fresh water, Experimental value, Nominal concentration)
EC50 - Crustacea [1]	> 100 mg/l (EU Method C.2, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, Locomotor effect)
ErC50 algae	> 100 mg/l (OECD 201: Alga, Growth Inhibition Test, 96 h, Desmodesmus subspicatus, Static system, Fresh water, Experimental value, Nominal concentration)
2-methyl-2-propanol (75-65-0)	
LC50 - Fish [1]	> 961 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Pimephales promelas, Flow-through system, Fresh water, Experimental value, GLP)
EC50 - Crustacea [1]	933 mg/l (EU Method C.2, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, Locomotor effect)
ErC50 algae	> 976 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, GLP)
Ethanol (64-17-5)	
LC50 - Fish [1]	15300 mg/l (US EPA, 96 h, Pimephales promelas, Flow-through system, Fresh water, Experimental value, Lethal)
EC50 72h - Algae [1]	275 mg/l (Equivalent or similar to OECD 201, Chlorella vulgaris, Static system, Fresh water, Experimental value, Growth rate)
Zinc chloride (7646-85-7)	
LC50 - Fish [1]	169 µg/l (ASTM E729-88, 96 h, Oncorhynchus mykiss, Static system, Fresh water, Experimental value, Lethal)
EC50 - Crustacea [1]	670 μg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Ceriodaphnia dubia, Static system, Fresh water, Experimental value)

17/03/2023 EN (English) 8/13

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

NOEC chronic algae	(Pseudokircherniella subcapitata)
NOLO CITOTIC algae	(1 Seudokiiciieiileila Subcapitata)
2.2. Persistence and degradability	
Petroseal ^{C6} 3	
Persistence and degradability	May cause long-term adverse effects in the environment.
Biochemical oxygen demand (BOD)	0.417 g O ₂ /g substance (28 days)
Chemical oxygen demand (COD)	0.654 g O ₂ /g substance (28 days)
Iron(II) sulphate, heptahydrate (7782-63-0)	
Persistence and degradability	Biodegradability in soil: no data available. Readily biodegradable in water.
Chemical oxygen demand (COD)	Not applicable (inorganic)
ThOD	Not applicable (inorganic)
2,2',2"-(hexahydro-1,3,5-triazine-1,3,5-triyl)tr	
Persistence and degradability	Readily biodegradable in water.
·	Treadily Disability In Italian
2-methyl-2,4-pentanediol (107-41-5) Persistence and degradability	Poodily histogradable in water
	Readily biodegradable in water.
Biochemical oxygen demand (BOD) Chemical oxygen demand (COD)	0.02 g O ₂ /g substance
ThOD	2.2 g O ₂ /g substance
	2.3 g O ₂ /g substance
Ethane-1,2-diol (107-21-1)	
Persistence and degradability	Biodegradable in the soil. Readily biodegradable in water.
Biochemical oxygen demand (BOD)	0.47 g O ₂ /g substance
Chemical oxygen demand (COD)	1.24 g O ₂ /g substance
ThOD	1.29 g O ₂ /g substance
2-(2-butoxyethoxy)ethanol (112-34-5)	
Persistence and degradability	Readily biodegradable in water.
2-methyl-2-propanol (75-65-0)	
Persistence and degradability	Not readily biodegradable in water.
Biochemical oxygen demand (BOD)	0 g O ₂ /g substance
Chemical oxygen demand (COD)	2.18 g O ₂ /g substance
ThOD	2.59 g O ₂ /g substance
Ethanol (64-17-5)	
Persistence and degradability	Biodegradable in the soil. Readily biodegradable in water.
Biochemical oxygen demand (BOD)	0.8 – 0.967 g O ₂ /g substance
Chemical oxygen demand (COD)	1.7 g O ₂ /g substance
ThOD	2.1 g O ₂ /g substance
BOD (% of ThOD)	0.43
2.3. Bioaccumulative potential	
Petroseal ^{C6} 3	
Bioaccumulative potential	The product is not expected to bioaccumulate.
·	The product is not expected to bioaccumulate.
Iron(II) sulphate, heptahydrate (7782-63-0)	< 20 (OECD 205: Dioconcentration: Flavy Through Figh Test 20 day/s) Committee and Flavy Through Figh Test 20 day/s Committee a
BCF - Fish [1]	≤ 20 (OECD 305: Bioconcentration: Flow-Through Fish Test, 28 day(s), Cyprinus carpio, Flow through system, Fresh water, Read-across, Fresh weight)
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).
2,2',2"-(hexahydro-1,3,5-triazine-1,3,5-triyl)tr	·
Partition coefficient n-octanol/water (Log Pow)	-2.3 – -1.3 (Experimental value, OECD 107: Partition Coefficient (n-octanol/water): Shake
- armon coemocnt n-octano/water (Log Fow)	Flask Method, 24 °C)
Bioaccumulative potential	Not bioaccumulative.
2-methyl-2,4-pentanediol (107-41-5)	<u> </u>
Partition coefficient n-octanol/water (Log Pow)	0.58 (QSAR, KOWWIN)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).
	2011 potential for biodocalitation (Log Now < 7).
Ethane-1,2-diol (107-21-1)	4.20 (Functional color)
Partition coefficient n-octanol/water (Log Pow)	-1.36 (Experimental value)
Bioaccumulative potential	Not bioaccumulative.
2-(2-butoxyethoxy)ethanol (112-34-5)	
Partition coefficient n-octanol/water (Log Pow)	1 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 20 °C)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

2-(2-butoxyethoxy)ethanol (112-34-5)	
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).
2-methyl-2-propanol (75-65-0)	
Partition coefficient n-octanol/water (Log Pow)	0.317 (Practical experience/observation, OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method, 22.5 °C)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).
Ethanol (64-17-5)	
BCF - Fish [1]	1 (Other, 72 h, Cyprinus carpio, Static system, Fresh water, Read-across)
Partition coefficient n-octanol/water (Log Pow)	-0.31 (Experimental value)
Bioaccumulative potential	Not bioaccumulative.
Zinc chloride (7646-85-7)	
BCF - Fish [1]	0.4 – 7.51 (45 day(s), Channa punctatus, Semi-static system, Fresh water, Experimental value)
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).
12.4. Mobility in soil	
Iron(II) sulphate, heptahydrate (7782-63-0)	Adamba into the soil
Ecology - soil	Adsorbs into the soil.
2,2',2"-(hexahydro-1,3,5-triazine-1,3,5-triyl)tric	
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	1 (log Koc, PCKOCWIN v1.66, Calculated value)
Ecology - soil	Highly mobile in soil.
2-methyl-2,4-pentanediol (107-41-5)	
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	0 (log Koc, Calculated value)
Ecology - soil	Highly mobile in soil.
Ethane-1,2-diol (107-21-1)	
Surface tension	48.4 mN/m (20 °C)
Ecology - soil	Highly mobile in soil.
2-(2-butoxyethoxy)ethanol (112-34-5)	
Surface tension	27 mN/m (25 °C, 0.00212 mol/g)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	0.642 – 1 (log Koc, SRC PCKOCWIN v2.0, Calculated value)
Ecology - soil	Highly mobile in soil.
2-methyl-2-propanol (75-65-0)	
Surface tension	69.8 mN/m (21 °C, 1.09 g/l, OECD 115: Surface Tension of Aqueous Solutions)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	0.324 – 0.707 (log Koc, SRC PCKOCWIN v2.0, Calculated value)
Ecology - soil	Highly mobile in soil.
Ethanol (64-17-5)	
Surface tension	22.31 mN/m (20 °C, 100 %)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	0.2 (log Koc, Experimental value)
Ecology - soil	Highly mobile in soil.
Zinc chloride (7646-85-7)	
Surface tension	No data available in the literature
Ecology - soil	No (test)data on mobility of the substance available. Soil contaminant.
12.5. Results of PBT and vPvB assessmen	
Petroseal ^{C6} 3	
PBT: not relevant – no registration required vPvB: not relevant – no registration required	
Component	
2-(2-butoxyethoxy)ethanol (112-34-5)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
2,2',2"-(hexahydro-1,3,5-triazine-1,3,5-triyl)triethanol (4719-04-4)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
Zinc chloride (7646-85-7)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
	1 THE SUBSTAIRCE MINIMULE GOES HOT MEET THE VI VID CHIEFIA OF INLANOT FEGURATION, ATTIES ATTI

17/03/2023 EN (English) 10/13

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Component	
Ethane-1,2-diol (107-21-1)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
Iron(II) sulphate, heptahydrate (7782-63-0)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
2-methyl-2,4-pentanediol (107-41-5)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
2-methyl-2-propanol (75-65-0)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
Ethanol (64-17-5)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

12.6. Other adverse effects

Other adverse effects

: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

This product contains PFAS. Local requirements for waste disposal may be more restrictive or otherwise different from national regulations. Therefore, applicable local and state regulatory agencies should be contacted regarding disposal of waste foam concentrate or foam/foam solution.

Concentrate

Prevent foam concentrate from entering ground water, surface water or storm drains. Small quantities of foam concentrate may be collected on absorbents which can then be disposed of. Disposal should be made in accordance with local, state and federal regulations. High temperature incineration is required at a minimum of 1000°C with a minimum residence time of 2 seconds.

Foam/Foam Solution

Prevent foam/foam solution from entering ground water, surface water or storm drains. Small quantities of foam solution may be collected on absorbents which can then be disposed of. Disposal should be made in accordance with local, state and federal regulations. High temperature incineration is required at a minimum of 1000°C with a minimum residence time of 2 seconds.

<u>NOTE:</u> Please consult Angus Fire for additional information regarding the disposal of foam concentrates and foam solutions or visit https://angusfire.co.uk/use-discharge-and-disposal-of-firefighting-foam-products/.

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.

Ecology - waste materials : Avoid release to the environment.

European List of Waste (LoW) code : 16 03 05* - organic wastes containing dangerous substances

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

	IATA	ADN	RID
•	'	·	
Not applicable	Not applicable	Not applicable	Not applicable
pping name			-
Not applicable	Not applicable	Not applicable	Not applicable
Not applicable	Not applicable	Not applicable	Not applicable
ard class(es)			
Not applicable	Not applicable	Not applicable	Not applicable
Not applicable	Not applicable	Not applicable	Not applicable
0			-
Not applicable	Not applicable	Not applicable	Not applicable
l hazards	•	-	•
Not applicable	Not applicable	Not applicable	Not applicable
	Not applicable Not applicable Not applicable ard class(es) Not applicable Not applicable Not applicable p Not applicable	ipping name Not applicable Not applicable Not applicable Not applicable	Not applicable Not applicable Not applicable

14.6. Special precautions for user

- Overland transport

Not applicable

- Transport by sea

Not applicable

17/03/2023 EN (English) 11/13

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

- Air transport

Not applicable

- Inland waterway transport

Not applicable

- Rail transport

Not applicable

Transport in bulk according to Annex II of Marpol and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU-Regulations 15.1.1.

Listed on REACH Annex XVII (Restriction Conditions). The following restrictions are applicable:	
3(a) Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F	2-methyl-2-propanol ; Ethanol
3(b) Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10	Petroseal ^{C6} 3; 2,2',2"-(hexahydro-1,3,5-triazine-1,3,5-triyl)triethanol; 2-methyl-2,4-pentanediol; Ethane-1,2-diol; 2-(2-butoxyethoxy)ethanol; 2-methyl-2-propanol; Ethanol
40. Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not.	2-methyl-2-propanol; Ethanol
55. 2-(2-butoxyethoxy)ethanol (DEGBE)	2-(2-butoxyethoxy)ethanol

Contains no substance(s) listed on the REACH Candidate List

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

National regulations 15.1.2.

France

Occupational diseases : RG 84 - Affections engendrées par les solvants organiques liquides à usage professionnel

Germany

: WGK 3, Highly hazardous to water (Classification according to AwSV, Annex 1) Regulatory reference

Hazardous Incident Ordinance (12. BImSchV) : Is not subject of the 12. BlmSchV (Hazardous Incident Ordinance)

Netherlands

: Ethanol is listed SZW-lijst van kankerverwekkende stoffen

: None of the components are listed SZW-lijst van mutagene stoffen

SZW-lijst van reprotoxische stoffen -Borstvoeding

SZW-lijst van reprotoxische stoffen -

Vruchtbaarheid

SZW-lijst van reprotoxische stoffen -

Ontwikkeling

: Ethanol is listed : Ethanol is listed

: Ethanol is listed

Denmark

Recommendations Danish Regulation : Young people below the age of 18 years are not allowed to use the product

> Pregnant/breastfeeding women working with the product must not be in direct contact with the product

Chemical safety assessment

No additional information available

SECTION 16: Other information

17/03/2023 EN (English) 12/13

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Data sources

: REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Full text of H- and EUH-statements:	
Acute Tox. 2 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 2
Acute Tox. 4 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 2	Flammable liquids, Category 2
H225	Highly flammable liquid and vapour.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H361d	Suspected of damaging the unborn child
H372	Causes damage to organs through prolonged or repeated exposure.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
Repr. 2	Reproductive toxicity, Category 2
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
STOT RE 1	Specific target organ toxicity – Repeated exposure, Category 1
STOT RE 2	Specific target organ toxicity – Repeated exposure, Category 2
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation

SDS EU (REACH Annex II) - Angus Fire

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

17/03/2023 EN (English) 13/13